

2004
 27 % , 16 % , 12 % , 12 % , 7 % 25 , 7 % 783,1
 3,8 206 . 2004
 - 2007 6-
 100
 :

	() %	() %	() %	() %	() %	() %	/
	45-65	60-75	6,0-5,8	34-17	0,5-3	1-1,2	<28,5
	40-45	75-82	6,0-5,8	13-9,8			<32,9
	35-40	82-85	5,8-5,6	9,8-7,3			<33,9
	28-35	85-87,5	5,6-5,0	7,3-4,5			<35
	19-28	87,5-89,5	5,0-4,5	4,5-3,2			<35,4
	14-19	89,5-90,5	4,5-4,0	3,2-2,8			35,4
	10-14	90,5-91,5	4,0-3,75	2,8-3,5			<35,4
	7-12	>91,5	<3,75	<2,5			<35,3

10 1996-2003
 40 2009 4- 1 73,31
 2000 30,- 1 2008 9- , 150,- 2008 10- 111,50
 98-140 167-209 , 130-140 ,

2010 11- 15-

				(k /)			(/)
					()	:1.3%, 22%, :<8%, >70	:16%- 1260=189\$
					()	:0.6%, :10%	:16.5%, >73 1430=215\$
					()	:1%, 18%, :10%, :5~15	:12%- 1020=153\$
					()	:0.3%, :11%-12%, >40	:16%, 1050=158\$
				6000	()	:0.8%, 16%, :10%- :28%-32%	495=74 \$
				5500	()	:0.8%, :10%-16%, :28%-32%	485=73\$
				6200		:<1%, 9%, :7%- :14%-16%	645=97\$
				7000	()	:<1%,V:7%-9%, :9%-12%	930=140\$
				7000	()	:<1%, 9%, :7%- :9%-12%	870= 131\$
				6000	()	:<0.5%, :6%-7%	:17%, 645=97\$
				6500	()	:0.3%, :7%-8%	:14%, 905=136\$
				6800	()	:0.5%, :6%	:14%, 970=146\$

(:CCTD/CoalWorld.net 2010-11-15) 1 . =6.65

2010

11-

15-

,

			(k /)			(/ / .
,			6000	35%, :33% :15%, :<1%	()	465=70\$
,			6500	:<0.8%, :32%-36%, :10%	()	760=114\$
,	,		6000	:14%, :35%, :0.6%	()	780=117\$
,			:85-95	:10%, :30%, :0.6%	()	1300=195\$
,			5000	:16-20%, :37%, :0.5-1%	()	545=82\$

(:CCTD/CoalWorld.net 2010-11-15) 1 . =6.65

2010 11- 15-

			(k /)			(/)
			4000	()	:42%, :<25%, :0.7%	400= 60\$
			5000	()	:20%, :30%, :0.2%	410= 62\$
		()		()	:29.4%, :10%, :2%, >96	1050=158\$
		()		()	:32%, :10%, :1.8%, >94	1180= 177\$
				()	:7%, :30%, :1.1%, >83	980=147\$

(:CCTD/CoalWorld.net 2010-11-15) 1 . =6.65

2010 11- 15-

			(k /)	(%)	(%)	(%)		(/ / .
		()	5000	16	33~34	<1.2	()	685=103\$
			:70	37.8	11	0.4	()	1000=150\$
		(-)	>86	33.3	9	2.3	()	1330=200\$
			6000	30	14-16	0.7	()	845=127\$

(:CCTD/CoalWorld.net 2010-11-15) 1 . =6.65

2010 11- 15-

				(k /)			(/)
				4500	()	:38.7%, :22%, :1%	530= 80 \$
				5500	()	:8%-10%, :20%, <1%	780= 117 \$
				5500	()	:6.6%, :23%, :0.3%	760= 114 \$
		Lean Meager coal		5500	()	:11%- 14% :<0.4, :18%	650= 98 \$
				5300	()	:13% :0.3%, :20%	680=102 \$

(:CCTD/CoalWorld.net 2010-11-15) 1 . =6.65

2010 11- 15-

			(k /)			(. / /
			5000	:25%, :0.8%, :20%	()	760= 114 \$
			5500	:19%, :25%, :0.6%	()	800= 120 \$
			5000	:25%, :<1%, :21%	()	660= 99 \$

(:CCTD/CoalWorld.net 2010-11-15) 1 . =6.65